



MEDICAL COVERAGE GUIDELINES (CLINICAL CRITERIA) FOR UM DECISIONS
Precertification of Outpatient Cervical Spine Magnetic Resonance Imaging
(MRIs)

(CPT codes include: 72141, 72142 and 72156)

Capital Health Plan provides coverage for outpatient cervical MRI for members **13 years of age or older** who meet the medical necessity criteria below. Prior authorization is required for this service to be covered.

Capital Health Plan has adopted Medicare rules for our Commercial members with regards to ordering MRIs. Chiropractic treatment is limited to non-invasive conservative measures, only. If conservative measures have failed and/or have been deemed inappropriate, it is expected that the patient will be referred to the appropriate M.D. or D.O. able to assume further care, including medications and/or other forms of more invasive treatment. Therefore, ALL requests for MRIs MUST be ordered by a M.D. or D.O. assuming responsibility for management of the patient.

Neck pain complicated by any one of the following:

1. Persistent neck pain and/or radicular pain:
 - Beyond 6 weeks in duration; **AND**
 - In the last 6 months, symptoms have failed to improve despite 6 weeks of documented evidenced-based conservative treatment* that has included **ALL** of the following:
 - a) Active participation in a physical therapy program (Center for Orthopedic & Sports Physical Therapy [COSPT] Back and Neck Program or at Tallahassee Memorial Hospital Outpatient Rehab) **OR** active participation in Chiropractic directed care, either of which must include at least 3 visits and/or a discharge summary
AND
 - b) Evaluation by PCP, rheumatologist, orthopedist, pain management, neurologist, or neurosurgeon;
AND
 - c) Trial use of, and documentation of the response to, analgesics and/or other appropriate medications;
AND

- d) Interference with functional activities of daily living (ADLs) and/or modification of activity that exacerbates or produces symptoms

OR

2. Evidence of cord compression, instability, or myelopathy (objective neurological deficits) as indicated by **ANY** of the following:

- Urinary urgency, frequency, retention or overflow incontinence
- Fecal incontinence
- Spasticity
- Sensory loss that is severe, persistent or progressive
- Objective muscle weakness of ≤ 3
- Asymmetric hypo or hyperreflexia
- Clonus
- Pathologic reflexes (e.g., Babinski, Chaddock, Oppenheim, grasp)
- Gait abnormality (e.g., unsteady, ataxic)
- Positive Hoffmann's sign
- Disturbance with coordination

OR

3. Documentation of a concern for/suspected malignancy with localized cervical pain and **ANY** of the following:

- Personal history or concurrent diagnosis of cancer, especially breast, lung, prostate, lymphoma, sarcoma, or kidney
- Unexplained weight loss
- Positive bone scan or suspicious lesion found on other imaging

OR

4. Immunosuppression, suspected inflammatory process, or demyelinating process (e.g., immunosuppression medications, Rheumatoid Arthritis, Lupus, Multiple Sclerosis [MS], Amyotrophic Lateral Sclerosis [ALS/Lou Gehrig's disease], HIV/AIDS)

OR

5. Documentation of recent significant cervical spine trauma within the last 3 months

OR

6. Suspected spinal infections, such as vertebral osteomyelitis, disc space infection or epidural abscess; **AND ONE** of the following:

- Fever
- Elevated Erythrocyte Sedimentation Rate (ESR)
- Recent history of spinal surgery
- Positive bone scan

- Recent history of intravenous (IV) drug abuse, other source of infection, or recent invasive procedure

OR

7. Prior cervical surgery **AND ONE of the following:**

- Surgery within the past 6 months to 1 year with significant new symptoms
- Concern for post operative complication that interferes with functional ADL's (e.g., intolerance for walking, sitting, standing and/or ability to transfer from positions)
- Concern for and/or imaging showing hardware failure

OR

8. Evaluation for suspected Chiari Malformation or follow up imaging for an already confirmed diagnosis of Chiari Malformation

OR

9. Radiologic evidence of **ONE of the following:**

- Confirmed Rheumatoid Arthritis in the cervical spine
- Atlantoaxial subluxation or impaction on plain radiographs
- Spondylolisthesis or anterolisthesis with significant pain (pain scale of at least 5 on the 0 to 10 pain scale)
- Moderate to severe spinal stenosis with new or increased symptoms or pain and/or radiculopathy and a concern for cord integrity

OR

10. Evaluation or concern for one of the following:

- Spinal cyst or mass that may not be related to malignancy (e.g., syrinx)
- Further evaluation or follow up imaging of a Schmorl's node following x-ray detection
- Paget's disease

***Evidenced-based conservative treatment** should include documentation of a minimum of 3 sessions of physical therapy or chiropractic care within the past 6 months which **INCLUDES** a discharge summary from the physical therapist or chiropractor.

Medical Necessity Approvals to be made by:

- ☒ Medical Director
- ☒ Physician Reviewer
- ☒ Medical Services Coordinator

- ☒ Nurse Reviewer
- ☒ Authorized CCD staff when UM criteria are met

These criteria apply to the following products when determined to be included in the member's benefit package:

- ☒ Commercial

Source Documents:

Medicare rules regarding chiropractors ordering diagnostic testing for Medicare beneficiaries:
<https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/downloads/bp102c15.pdf>

Approved by G&A: 10/6/16, 11/30/17

Approved by UMWG: 8/30/18, 11/7/19, 12/10/20, 12/9/21, 12/8/22, 12/14/23, 12/12/24, 12/11/25

Capital Health Plan reserves the right to make changes to these criteria at any time to accommodate changes in medical necessity and industry standards.